



100 MANT 2005



D.S: 100 MANT 2005

Ø 500 X 1500 BB X43

Ü.T. :

MUFLU BETON VE BETONARME BORULAR

ÜRÜN ADI	BOY (mt)	ET KALINLIĞI (mm)	AĞIRLIK (kg)	KASALI KAMYON (AD)
Ø200X1250 Muflu Beton Boru	1,25	35	130	150
Ø300X2000 Muflu Beton Boru	2	45	300	45
Ø400X2000 Muflu Beton Boru	2	60	500	20
Ø500X2000 Muflu Beton Boru	2	70	700	15
Ø600X2000 Muflu Beton Boru	2	75	850	12
Ø600X2000 Muflu Betonarme Boru	2	75	880	12
Ø800X2000 Muflu Beton Boru	2	90	1375	7
Ø800X2000 Muflu Betonarme Boru	2	90	1405	7
Ø1000X2000 Muflu Betonarme Boru	2	120	2430	4
Ø1200X2000 Muflu Betonarme Boru	2	140	3455	3
Ø1400X2000 Muflu Betonarme Boru	2	160	4580	3
Ø1600X2000 Muflu Betonarme Boru	2	180	5870	3

ENTEĞRE MUFLU BETON VE BETONARME BORULAR

ÜRÜN ADI	BOY (mt)	ET KALINLIĞI (mm)	AĞIRLIK (kg)	KASALI KAMYON (AD)
Ø200X1250 Entegre Muflu Beton Boru	1,25	35	130	150
Ø300X2000 Entegre Muflu Beton Boru	2	45	300	45
Ø400X2000 Entegre Muflu Beton Boru	2	60	500	20
Ø500X2000 Entegre Muflu Beton Boru	2	70	700	15
Ø600X2000 Entegre Muflu Beton Boru	2	75	850	12
Ø600X2000 Entegre Muflu Betonarme Boru	2	75	880	12
Ø800X2000 Entegre Muflu Beton Boru	2	90	1375	7
Ø800X2000 Entegre Muflu Betonarme Boru	2	90	1405	7
Ø1000X2000 Entegre Muflu Betonarme Boru	2	120	2430	4
Ø1200X2000 Entegre Muflu Betonarme Boru	2	140	3455	3
Ø1400X2000 Entegre Muflu Betonarme Boru	2	160	4580	3
Ø1600X2000 Entegre Muflu Betonarme Boru	2	180	5870	3

BETON VE BETONARME MANŞONLAR

ÜRÜN ADI	BOY (mt)	ET KALINLIĞI (mm)	AĞIRLIK (kg)	KASALI KAMYON (AD)
Ø200X1250 Beton Manşon	1,25	35	130	150
Ø300X2000 Beton Manşon	2	45	300	45
Ø400X2000 Beton Manşon	2	60	500	20
Ø500X2000 Beton Manşon	2	70	700	15
Ø600X2000 Beton Manşon	2	75	850	12
Ø800X2000 Betonarme Manşon	2	90	1375	7
Ø1000X2000 Betonarme Manşon	2	120	2430	4

Ø1200X2000 Betonarme Manşon	2	140	3455	3
Ø1400X2000 Betonarme Manşon	2	160	4580	3

BETON VE BETONARME BORULAR

ÜRÜN ADI	BOY (mt)	ET KALINLIĞI (mm)	AĞIRLIK (kg)	KASALI KAMYON (AD)
Ø1600X2000 Lamba Zıvana Betonarme Boru	2	180	5025	3
Ø1800X2000 Lamba Zıvana Betonarme Boru	2	180	5590	2
Ø2000X2000 Lamba Zıvana Betonarme Boru	2	200	6890	2
Ø2200X2000 Lamba Zıvana Betonarme Boru	2	220	8335	2
Ø2400X2000 Lamba Zıvana Betonarme Boru	2	240	9930	2
Ø2600X2000 Lamba Zıvana Betonarme Boru	2	260	11700	2
Ø2800X2000 Lamba Zıvana Betonarme Boru	2	280	13000	2
Ø3000X2000 Lamba Zıvana Betonarme Boru	2	300	14850	2

BETON VE BETONARME BORULAR

ÜRÜN ADI	BOY (mt)	ET KALINLIĞI (mm)	AĞIRLIK (kg)	KASALI KAMYON (AD)
Ø1600X2000 Entegre Lamba Zıvana Betonarme Boru	2	180	5025	3
Ø1800X2000 Entegre Lamba Zıvana Betonarme Boru	2	180	5590	2
Ø2000X2000 Entegre Lamba Zıvana Betonarme Boru	2	200	6890	2
Ø2200X2000 Entegre Lamba Zıvana Betonarme Boru	2	220	8335	2
Ø2400X2000 Entegre Lamba Zıvana Betonarme Boru	2	240	9930	2
Ø2600X2000 Entegre Lamba Zıvana Betonarme Boru	2	260	11700	2
Ø2800X2000 Entegre Lamba Zıvana Betonarme Boru	2	280	13000	2
Ø3000X2000 Entegre Lamba Zıvana Betonarme Boru	2	300	14850	2